



Commercial carpet tiles



Tecsom
4900 Avenue
4120 Galerie
4910 Boulevard

3 high quality cut pile ranges
Diverse designs with co-ordinating colours
Independent pattern concepts
or complementary combinations

Tecsom 4900 Avenue, 4120 Galerie, 4910 Boulevard


Tecsom 4900 Avenue, 4120 Galerie and 4910 Boulevard are three refined cut-pile carpet tiles which can be combined. Each has a luxurious appearance and texture.

Each range provides the choice of an independent pattern or the opportunity to match and combine different designs in similar tones or, if preferred to create stunning colour and design contrasts.

Subtle contemporary floor areas or colourful floor concepts can be created to enhance architecture or elegantly define a working environment.

The impressive underfoot feel and acoustic qualities of the three ranges make them particularly suitable for prestigious office interiors.






Tecsom 4900 Avenue has a sophisticated tweed pattern created by blending four contrasting threads and is complementary to the Galerie palette of colours.



Tecsom 4120 Galerie offers a range of plain colours, rich and subdued tones, from classic to contemporary, with a refined silk appearance.




Tecsom 4910 Boulevard is based on background colours borrowed from Galerie, enhanced by a distinguished black and yellow pin-point effect.

Tecsom 4900 Avenue



DT 037



DR 096


Tecsom 4120 Galerie



DM 018



DL 067




DR 008




DR 086


Tecsom 4910 Boulevard




DL 077




DR 018






DT 025



DJ 066



DL 015



DT 018




DJ 025



DJ 013



DS 142




DM 014




DM 097



DT 028




DJ 035




DM 107






DG 036



DG 142



DB 205



DA 167



DN 019



DG 065




DG 112




DB 022




DB 114




DA 177




DG 115




DB 124





DB 116



DV 156




DB 357




DV 088




DV 146



DV 074



DB 367



DV 166

BS Backing System


All Tecsom carpet tiles are manufactured using the Tarkett Backing System, consisting of a double calendered vinyl coating stabilised with glass fibre reinforcement.






Tarkett's unique Backing System ensures total dimensional stability and tear resistance.

It has outstanding acoustic performance and also optimises underfoot comfort, which is so valuable in an office environment.

100% Solution Dyed and Technical Yarn

Tarkett uses 100% solution dyed and technical yarns which make Tecsom 4900 Avenue, 4120 Galerie and 4910 Boulevard resistant to traffic, light fastness and wear, as well as being easy to maintain.





Please refer
to guarantee contract

Tecsom 4900 Avenue / 4120 Galerie / 4910 Boulevard

Technical data	Standards	Tecsom 4900 Avenue	Tecsom 4120 Galerie	Tecsom 4910 Boulevard
Pile material		100% Polyamide solution-dyed  (Yarn System) from Tarkett technologies		
Description/Gauge		1/10 cut pile	1/10 cut pile	1/10 C.O.C.
No. of stitches	ISO 1763	44 stitches/10 cm	50 stitches/10 cm	44 stitches/10 cm
Density	ISO 1763	180 400 stitches/m ²	205 000 stitches/m ²	180 400 stitches/m ²
Pile height	ISO 1766	4,2 mm	5,1 mm	3,3 mm
WDF Weight Density Factor		6 942 857	10 164 705	8 836 363
AD Average Density		7 714	8 470	9 818
Total thickness	ISO 1765	8,2 mm	8,5 mm	7,5 mm
Pile yarn weight	ISO 8543	900 g/m ² (26,55 oz/yd ²)	1 200 g/m ² (35,40 oz/yd ²)	900 g/m ² (26,55 oz/yd ²)
Total weight	ISO 8543	4 790 g/m ²	5 100 g/m ²	4 790 g/m ²
Primary backing		Non woven primary backing		
Backing		Tecsom Backing System - 100% recycled vinyl backing reinforced with glass fibre 		
Dimensional stability	BS 4682 (3/4) EN 986	≤ 0,10% ≤ 0,10%	≤ 0,10% ≤ 0,10%	≤ 0,10% ≤ 0,10%
Classification	EN 1307	Contract	Contract	Contract
Castor chair	EN 985	Passed*	Passed*	Passed*
Reaction to fire	EN ISO 9239-1 ASTM E 648 (cat.1)	C _{fl} s1 Passed	C _{fl} s1 Passed	C _{fl} s1 Passed
Electrostatic characteristics -	EN 1815 ISO 10965	≤ 2 kV RT ≈ 10 ¹⁰ Ω	≤ 2 kV RT ≈ 10 ¹⁰ Ω	≤ 2 kV RT ≈ 10 ¹⁰ Ω
Impact sound reduction	ISO 717/2 ΔL _W ISO 354/ISO 11654 α _W	26 dB 0,20 (H)	26 dB 0,20 (H)	23 dB 0,20 (H)
Light fastness	ISO 105 B02	7	7	7
Thermal resistance	EN 12524	0,10 m ² K/W	0,10 m ² K/W	0,09 m ² K/W
Colours		10	20	10
Tile size		50 x 50 cm	50 x 50 cm	50 x 50 cm
Tiles per box		5 m ² (20 tiles)	5 m ² (20 tiles)	5 m ² (20 tiles)

The above information is subject to modifications for the benefit of further improvement (09/04).

For more detailed technical information, please contact Tarkett.

Follow Tarkett's installation and maintenance instructions carefully. These instructions are available upon request.

Australia: Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 • **Austria:** Tarkett Ges.m.b.H. – Tel. +43 1 47 88 062 • **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 • **Canada:** Tarkett Inc. – Tel. +1 450 293 3173 • **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38/39 • **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 • **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 • **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 • **Germany:** Tarkett Vertriebs GmbH & Co. KG, Bereich Objekt – Tel. +49 6233 810 • **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 • **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 • **Italy:** Tarkett S.p.A. – Tel. +39 02 319 211 • **Luxembourg:** Tel. +352 949 211 8804 • **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 • **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 700 • **Norway:** Tarkett AS – Tel. +47 32 20 92 00 • **Poland:** Tarkett Polska Sp. z o.o. – Tel. +48 22 598 08 81 • **Portugal:** Tarkett SA – Tel. +351 21 756 75 40 • **Russian Federation:** Tarkett Russia – Tel. +7 095 777 69 83 • **Singapore:** Tarkett Far East – Tel. +65 6743 53 84 • **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • **Spain:** Tarkett Revestimientos SA – Tel. +34 91 358 00 35 • **Sweden:** Tarkett Sverige AB – Tel. +46 8 625 19 00 • **Switzerland:** Tarkett GmbH – Tel. +41 44 878 10 80 • **Ukraine:** Tarkett UA – Tel. +380 (44) 569 12 21 • **United Kingdom:** Tarkett Ltd – Tel. +44 (0)1905 342700 • **United States:** Tarkett Inc. USA – Tel. +1 713 869 5811 • **Tarkett International:** Tel. +49 6233 811 755

www.tarkett-commercial.com

