

Eminent

HOMOGENEOUS FLOORCOVERING



VINYL



- > Wide and fresh range with unique design concept
- > Non-directional pattern with 3D effect
- > iQ product – 3rd generation PUR
- > No wax, no polish. For life!
- > Lowest life cycle cost

**No wax.
No polish.
For life.**

3RD GENERATION PUR

Natural




Cosmopolitan



Extremely good gets even better

Eminent is one of our most popular floorings. Launched for the first time in 1987, it quickly became appreciated for its colour system, innovative design and iQ benefits. And the new, updated Eminent is even better. The design concept and colour system have been reviewed, and refined to new aesthetic heights in phase with modern society.

Contemporary



Urban



Four colour atmospheres

The Eminent range offers extensive opportunities for creating pleasant interior designs where people feel comfortable. The unique colour concept is based on four colour atmospheres – Natural, Cosmopolitan, Contemporary and Urban. Use them as guidelines when creating ambiances for special applications, or as overall inspiration for new design developments.

Natural and elegant

The non-directional pattern, with transparent elements, and the balance between small and big granules create a natural stone appearance with a soft look. The Eminent design expression generates feelings of light, modernity and timeless elegance.





Eminent is an iQ flooring from Tarkett



Eminent is one of our iQ floorings, which means it has many more advantages than can be seen with the naked eye. For top performance in every function that a floor has to provide, Tarkett's homogeneous high-quality floorings are outstanding. Our iQ floorings are one of the smartest choices you can make when buying flooring. Not only for quality, performance and design, but also for the best life cycle cost on the market.

- > High-quality raw materials
- > 3rd generation PUR
- > Quality and composition of the whole construction give superior cleaning characteristics


- > No polish. No wax. For life!
- > Outstanding performance
- > Best life cycle cost

iQ means the absolute minimum of heavy, wet cleaning. No polish or wax is ever needed – just dry buffing* – throughout the lifetime of the flooring. Maintenance costs can be reduced by up to 30% compared with traditional cleaning methods. And you save more than just time and money. The reduced use of water and chemicals is also a powerful environmental consideration.


**Provided the instructions in Tarkett's cleaning system are followed.*

Eminent – a fresh colour range with great

Natural




071
NCS 1005-Y30R
Welding Rod No. 1288 232




072
NCS 2010-Y30R
Welding Rod No. 1291 615



090
NCS 2005-Y10R
Welding Rod No. 1287 012



073
NCS 3010-Y40R
Welding Rod No. 1292 612



074
NCS 2020-Y30R
Welding Rod No. 1292 372



080
NCS 1020-Y20R
Welding Rod No. 1291 681



075
NCS 3005-Y20R
Welding Rod No. 1292 762

Cosmopolitan




077
NCS 6020-Y40R
Welding Rod No. 1292 750



085
NCS 4040-R90B
Welding Rod No. 1287 196



087
NCS 6020-B50G
Welding Rod No. 1287 201




078
NCS 3060-Y80R
Welding Rod No. 1287 187




086
NCS 4020-B50G
Welding Rod No. 1287 200



089
NCS 3010-G10Y
Welding Rod No. 1291 683



081
NCS 1050-Y10R
Welding Rod No. 1287 036



076
NCS 3040-Y40R
Welding Rod No. 1287 184

Contemporary



082
NCS 1030-B30G
Welding Rod No. 1287 195



083
NCS 2020-R90B
Welding Rod No. 1292 378



084
NCS 3030-R90B
Welding Rod No. 1287 034



079
NCS 2020-R20B
Welding Rod No. 1287 190



possibilities


Urban




091
NCS 1500-N
Welding Rod No. 1291 609



092
NCS 3000-N
Welding Rod No. 1287 027



088
NCS 4500-N
Welding Rod No. 1292 383



093
NCS 6000-N
Welding Rod No. 1294 727




094
NCS 8500-N
Welding Rod No. 1292 384




Eminent Decor

Eminent has a unique design concept. The collection includes a multicoloured pattern called Decor, easy to match with all 24 colours in the Eminent range. This unique colour concept offers many possible combinations within the different colour groups. The base colour in one group also makes a great accent colour in another group, forming visual bridges between the groups. The non-directional pattern, with transparent elements, and the balance between small and big granules create a natural appearance with a soft look. The Eminent design expression is light, modern and elegant.



095
Welding Rod No. 1291 342



096
Welding Rod No. 1292 685

Eminent

DESCRIPTION

Eminent is the result of good thinking. It provides much more than co-ordinated colours and patterns. It also has flexibility, durability and iQ maintenance properties for the lowest life cycle cost. The strong polyurethane (PUR) reinforced construction can reduce cleaning costs by up to 30 %.

Eminent is recommended for use in commercial heavy traffic areas such as healthcare, education, retail, offices etc. The Eminent collection also includes a multicoloured pattern called Decor.

Technical data	Standards	Eminent
Type of floorcovering	EN 649	Homogeneous, single layered vinyl flooring
Classification	EN 685	Commercial: 34 Industrial: 43
Wearlayer thickness	EN 429	2.0 mm
Polyurethane reinforced		Yes
Total thickness	EN 428	2.0 mm
Total weight/m ²	EN 430	3000 g
Dimensional stability	EN 434	≤ 0.40 %
Abrasion Thickness loss	EN 660: Part 1	Group P: ≤ 0.15 mm
Volume loss	EN 660: Part 2	Group P: ≤ 4.0 mm ³
Residual indentation	EN 433	Approx. 0.03 mm
Castor wheel test	EN 425	Suitable
Static electrical charge	EN 1815	< 2 kV
Underfloor heating		Suitable – max. 27° C
Impact sound resistance	EN ISO 717/2	Approx. + 4 dB
Thermal resistance	DIN 52612	0.0095 m ² K/W
Reaction to fire	BS 476: Part 7, 1997 EN 13501-1 EN ISO 9239-1 EN ISO 11925-2 IMO FTPC Part 5 and 2 IMO Res. A653	Class 2 Class B _{fl} ≤ 1 ≥ 8 kw/m ² Pass Pending 
Marine equipment		
Light fastness	EN ISO 105-B02	≥ level 6
Chemical resistance	EN 423	Good resistance
Fungi and Bacteria resistance	DIN EN ISO 846-A/C	Does not favour growth
Slip resistance	DIN 51130 EN 13893	R9 ≥ 0.3
Colours		26
Form of delivery	EN 426 Sheet (rolls)	Approx. 23 m x 200 cm art. nr 3101 __ _ 5 3 digit colour number

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions. Eminent's high vinyl content allows 90° coving without cove formers.

Eminent	Welding Rod No.
071	1288 232
072	1291 615
073	1292 612
074	1292 372
075	1292 762
076	1287 184
077	1292 750
078	1287 187
079	1287 190
080	1291 681
081	1287 036
082	1287 195
083	1292 378
084	1287 034
085	1287 196
086	1287 200
087	1287 201
088	1292 383
089	1291 683
090	1287 012
091	1291 609
092	1287 027
093	1294 727
094	1292 384
095	1291 342
096	1292 685



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett AG Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-221 628 522 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett AG, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **North America:** Tarkett Inc. USA – Tel. +1 713 869 5811 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Sp. z o.o. – Tel. +48 22 598 08 81 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 6743 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 > (44) 569 12 21 > **United Kingdom:** Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > **Spain:** Tarkett Floors S.L. – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett AG, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21
Tarkett International: Tel. +49 6233 811 755 – Tel. +33 41 20 41 01