















Luxury vinyl floorcovering with PUR reinforced surface. In tile and plank form. Product standard EN 649

Technical data	Standards	I.D. Moduline	
Classification	EN 685 commercial industrial	Classes: 34 43	
Total thickness	EN 428	2.50 mm	
Wear layer thickness	EN 429	0.80 mm	
Total weight	EN 430	3 810 g/m ²	
PUR Reinforcement		Yes	
Abrasion group	EN 660-1	Group T: ≤ 0,08 mm	
Residual indentation	EN 433	≤ 0.05 mm	
Furniture leg	EN 424	No damage	
Castor chair	EN 425	No damage	
Dimensional stability	EN 434	< 0.10 %	
Curl resultant to heat	EN 434	≤ 2 mm	
Reaction to fire	EN 13501-1 ASTM E648	B _{fl} s1 glued over A2 _{fl} or A1 _{fl} substrate (concrete) Class 1	
Slip resistance	DIN 51130 EN 13893	R9 ≥ 0.3	
Electrical resistance	EN 1815 EN 1081	< 2 kV on concrete R ₁ > 10 ¹⁰ ohms	
Impact sound reduction	EN ISO 140-8 EN ISO 717/2 ΔL _W	3 dB	
Light fastness	EN ISO 105-B02	≥ 6	
Chemical resistance	EN 423	Good resistance to everyday substances.	
Thermal resistance Underfloor heating	EN 12524 DIN 52612	0.03 m° K/W Suitable provided that the surface of the subfloor does not exceed 27 °C	
Colours		20 Wood - 8 Unicolour 6 Mineral - 3 Metal	
Form of delivery	EN 427	Tiles: 50 x 50 cm Planks: 8.33 x 100 cm 16.66 x 100 cm	

The above information is subject to modifications for the benefit of further improvement (01/07).

For more detailed technical information, please contact Tarkett.

These instructions are available upon request.

Follow Tarkett's installation and maintenance instructions carefully.



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> Australia: Tarkett Australia Pty Ltd - Tel. +61 2 96 34 73 73 > Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 > Baltic States: Tarkett SAS -Tel. +370 37 262 220 > Belgium: S.A. Tarkett NV – Tel. +32 2 520 04 67 > China: Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38 > Czech Republic: Tarkett SAS, org. slozka - Tel. +420-271 001 602 > Denmark: Tarkett A/S - Tel. +45 43 90 60 11 > Finland: Tarkett Oy - Tel. +358 9 5406 5870 > France: Tarkett SAS – Tel. +33 1 41 20 42 49 Sermany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 Serece: Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 Sermany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 Serece: Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 Sermany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 Serece: Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 Sermany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 Serece: Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 Sermany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 Serece: Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 Serece: Tarkett Monoprosopi Ltd – Tel. +40 623 810 Serece: Tarkett Monoprosopi Ltd – Tel. +40 623 810 Serece: Tarkett Monoprosopi Ltd – Tel. +40 623 810 Serece: Tarkett Monoprosopi Ltd – Tel. +40 623 810 Serece: Tarkett Monoprosopi Ltd – Tel. +40 623 810 Serece: Tarkett Monoprosopi Ltd – Tel. +40 623 810 Serece: Tel. Kong: Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > Hungary: Tarkett SAS - Tel. +36 1 437-8150 > Italy: Tarkett S.p.A. – Tel. +39 02 893 411 > Luxembourg: Tel. +352 949 211 8804 > Middle East: Tarkett Middle East – Tel. +961 1 75 2363/4 > Netherlands: Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > Norway: Tarkett AS – Tel. +47 32 20 92 00 > Poland: Tarkett Sp. z o.o. - Tel. +48 22 598 08 81 > Portugal: Tarkett SA - Tel. +351 21 427 64 20 > Russian Federation: Tarkett Russia -Tel. +7 4 95 777 69 83 > Slovakia: Tarkett SAS - Tel. +421 37 6515 404 > Singapore: Tarkett Far East – Tel. +65 67 43 53 84 > South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > United Kingdom: Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > Slovakia: Tarkett SAS - +421 37 6515 404 > Spain: Tarkett Floors S.L - Tel. +34 91 358 00 35 > Sweden: Tarkett Sverige AB - Tel. +46 771 25 19 00 > Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz -Tel. +41 043 233 79 24 > Ukraine: Tarkett UA - Tel: +380380 (44) 569 12 21 > North America: Johnsonite - Tel. +1 440 543 8916 > Tarkett Inc. USA: Tel. +1 713 869 5811 > Tarkett International: Tel. +49 6233 811 755 - Tel. +33 41 20 41 01

I.D. Moduline



COMMERCIAL RESILIENT TILES AND PLANKS

LUXURY VINYL TILES





dare to excite

Dynamic inspiration to stimulate the creative soul

Tarkett I.D. Moduline brings together an impressive diversity of colour, texture, and contemporary materials to put you in touch with a wealth of design opportunities.

It's time to abandon convention. Instead, explore the potential for unpredictable unison and harmony, and for blends and contrasts between selected combinations of the 37 intriguing options. Discover how wood, stone, metal and striking material and colour effects can conspire to achieve new and unique design concepts.

Whatever your desire for mood or atmosphere, whether lively or low-key, or for an eye-catching impact that complements the overall concept of the environment, you can discover it here.

Now, dare to excite the spirit and let it flourish.

Setting the right tone


With I.D. Moduline you have the power to help confirm or contribute to the personality of any contemporary store, restaurant or commercial area.

In such environments, the chosen flooring is an important supporting player in communicating and sustaining a positive energy that fits the chosen mood or image of the total establishment. Whatever the style and motivation of its intended atmosphere, and of the merchandise or cuisine it offers, the floor design will provide a relevant context that enhances the experience of every customer.

This versatile and exhilarating collection from Tarkett gives you the potential to help open minds and encourage positive involvement and purchase through creative and innovative design.

The varied ingredients of the I.D. Moduline range are ready to work in synergy for you to turn exciting ideas into reality.







I.D. Moduline

Contemporary style

I.D. Moduline tiles and planks provide a diverse blend of images and colours to inspire uninhibited creativity. The choice and instinct is yours.

Discover how colour and design can work to mutual advantage and effect. Draw from the dark and exotic warmth of the WOODS selection and marry it with steel or stone. Use one or more of the dynamic and vivid UNI COLOURS to make a powerful statement alongside or within the harder-edged urban mood and modernistic surroundings of CONCRETE, STONE and METALS options.

Combinations, patterns, features, zones and contrasts are all the potential ingredients of original design.

You can capture the essence and mood of modern living with its colourful vitality and pace. Or explore the more subtle but substantial textures of urban environments.

The possibilities are endless.

Now, take a bold step towards innovative and dramatic effects that will remain a timeless tribute to your vision.

With added Feature Lines

Consider adding I.D. Feature Lines to create even more design opportunities. The compatibility of I.D. Moduline tiles and planks allows you to use the contrasting colour of these design strips to achieve Ships Deck, Lattice or other schemes with extra visual impact.

Feature Lines

Black	1421 001	Red	1421 00
Silver	1421 002	Phosphorescent	1421 00
Copper	1421 003		

Staying power

With over 100 years experience, Tarkett is a name that immediately guarantees quality and reliability. Our versatile floorcoverings have already been installed in shops, hotels, restaurants and other leisure environments throughout the world.

Sustained heavy daily use is no threat to the attractive appearance of I.D. Moduline. You can have full confidence in its robust durability and low-cost maintenance needs. Such qualities are ensured by its multi-layered construction.

- Polyurethane reinforcement: Easy low cost maintenance
- Pure PVC transparent wear layer: Superior resistance to abrasion
- 3 Design printed on Polymeric base: Colours and authentic images from natural and other materials
- Unique composite structure built with solid homogeneous calendered layers reinforced with glass fibre non woven: Exceptional dimensional stability and excellent resistance to tear and indentation






Tough construction

A tear-resistant solid calendered sheet, with overlying glass fibre non-woven reinforcement, supplies the foundation of its strength.

Above this is an exceptionally hardwearing, transparent PVC wear layer that is highly resistant to abrasion. Finally, a PUR surface treatment makes it very easy to keep clean without ever needing polish.

So, however daring or complex your design, you can be sure that I.D. Moduline will continue to deliver your creative achievement throughout a long service life.



Low maintenance for big savings

Maintenance can typically represent over 90% of the lifetime cost of a floorcovering. However, there are long-term savings with I.D. Moduline.

Its tough PUR-reinforced surface makes it easy to clean, and resistant to stains and chemicals. No wax or polish is ever needed throughout the flooring's service life, so staff time and costs on maintenance routines can be kept to a minimum.

Responsibility to the environment

Tarkett uses raw materials selected for their limited impact on the environment.

Our extensive use of recycled materials, and easy cleaning characteristics help conserve natural resources and reduce the need for chemicals.


Features and benefits

- > Designer collection of colours and authentic images from natural and other materials
- > Opportunities for maximum originality: using creative combinations of colour and materials
- > 0.8mm pure PVC transparent wear layer: exceptionally hardwearing and indentation resistant
- > Glass fibre non-woven reinforcement: unique dimensional stability
- > PUR-reinforcement: scuff resistant and easy, low cost maintenance (no wax – no polish)
- > Manufactured in the European Community: ISO9001 quality controlled Tarkett European factories



I.D. Moduline WOODS

This collection of WOOD species ranges from light, cool and subtle shades to warmer, richer-grained options, and distressed woods. Concrete Oak and both Weathered Oaks also have distinctive embossing features. Most designs are available in broad plank format, and selected designs are available as narrow planks. Each can be combined with other I.D. Moduline effects and colours to create innovative and striking flooring schemes.



I.D. Moduline


UNI COLOURS

This collection of vibrant UNI COLOUR tiles is a palette for exciting modular design effects, from mixed colour patterns or zoning features, to lively, modern designs that use colour and other I.D. Moduline tiles or wood planks in creative combinations. All options feature distinctive embossing.










CONCRETE, STONE and METALS

Designed to inspire modern and dynamic patterns, features or zoned schemes, this I.D. Moduline CONCRETE, STONE and METALS selection includes light stone shades, slate and metallic options for use individually or in combination, or to complement colour tile or wood plank effects. The Slate, Hammered and Alu Brushed options are all distinctively embossed.









All I.D. Moduline tiles and planks are 2.5mm thick, with bevelled edges to create realistic effects

NOTE: Colours/styles are shown for guidance only,

Further inspiration from Tarkett

Tarkett offers a complete range of luxury vinyl flooring to suit the needs of every environment, and to challenge and inspire your creative instinct. Each is dedicated to contributing its own character and dimension to retail, leisure and domestic environments:

I.D. Premier EN 685: Classes 34,43

Dare to imagine with this extensive collection that accurately reproduces the natural beauty of wood, marble, stone and other familiar materials.

Gemstone EN 685: Classes 34,43

Dare to enrich with the luxurious and extravagant vibrancy of this selection that explores the shine, transparency and depth of precious minerals.

I.D. Reflections EN 685: Classes 33,42

Dare to impress with this bright and modern selection of subtle marbles, slates and attractive wood grain decorative effects.

I.D. Naturelle EN 685: Classes 23, 32, 41

Dare to enhance with the appealing simplicity of this warm and authentic collection of wood and mineral effects as well as a modern steel finish.









The five cornerstones of Tarkett flooring

All Tarkett floorcoverings are based on five guiding principles that add up to Intelligent Flooring Solutions:

System

Providing not just a product, but a complete functional solution designed to fully meet customer needs.

Service

Supporting customers from first consultation to product installation, and throughout its service life.

Savings

Finding materials, construction and solutions that minimise maintenance requirements, and achieve best life cycle costs.

Style & design

Contributing to atmosphere, state of mind and emotion, to efficiency and sense of wellbeing.

Sustainability & environment

Taking the lead in promoting measures to help preserve a sustainable environment.











3825 027