

A woman with blonde hair, wearing a brown sweater over a white collared shirt and black trousers, is walking on a dark wood-look vinyl plank floor. She is carrying a black and white checkered bag and holding a brown coat. The background shows a retail environment with shelves and clothing.

I.D. Premier



COMMERCIAL RESILIENT TILES AND PLANKS

LUXURY VINYL TILES

*dare to
imagine*




Understanding the world of retail

For flooring in shopping environments

Every store has its own mission. To communicate its brand and personality, to attract and welcome customers, and to provide a perfect environment for their shopping or leisure experience. Flooring is the stage on which it will deliver its message.

But your design should not be limited by ordinary, predictable solutions. You need real freedom to explore your creative imagination, to excite and impress customers, and to enhance and enrich the environment into which they are drawn.

Now Tarkett gives you that freedom.





I.D. Premier

dare to imagine

Real inspiration to connect you to the beauty of natural materials – and to the eye-catching potential of complementary colour

A wealth of authentic images from Nature, captured and crafted by man into floorcoverings that accurately recall their true origins. And a colourful challenge to unlock the exciting rewards of unpredictable design.

Through over 90 options, explore the rich and subtle grain in many species of wood, and the patterned and textured world of raw stone, marble and granite. Or be exhilarated by the cool accuracy of metal images, the vibrancy of colours and the stunning realism of photographic options.

Whatever your quest, for pure effect and atmosphere, or for modernity based on the evolution of time, you can discover it here.

Now, dare to excite your imagination – and let it run free.





I.D. Premier

The importance of design and function for retail

Take your imagination into the design for a store or leisure environment. Tarkett knows these are more than mere locations where goods and services are offered. Design helps turn them into an experience – a place where customers will enjoy their visit, and want to return. Décor, lighting, displays and flooring all play a part. Together they communicate what makes each environment special.

The flooring can have subtle and supporting roles: to reinforce an image, set a mood or encourage an emotion. It may provide an unobtrusive but supportive context for merchandise, or help to establish a distinctive, exclusive atmosphere that accurately expresses brand personality.

But its visual contribution is only part of its role. Function is vital too. In busy stores, some floor areas need lasting strength to cope with heavy daily foot traffic, particularly near entrances. In lighter traffic areas, the floor may have a more exclusive or specialist focus. Whatever their role, all floors must be very easy to clean to ensure good looks are retained, and life cycle costs kept low.

I.D. Premier options provide the complete answer.





Tarkett Luxury Vinyl Tiles

In service worldwide

In stores, hotels, restaurants



I.D. Premier

Authentic style

The I.D. Premier collection delivers timeless images of exceptional clarity and realism for the designs depicting natural and other materials.

Wood

Browse through an entire spectrum of WOODS: from the light, pure tones of Beech and Maple, through to the richer grain, denser texture and darker shades of Midnight Oak, Zebrano and Wengé.

Stone

Travel through the varied world of marble and stone reflected in the STONE collection: from fine-textured White Carrara, and the warm and subtle effects of sand and limestones, to deep-veined Royal Marble and crystalline Granite.

Design

Complete this inspirational tour by viewing the DESIGN collection of upbeat colours, and of authentic metallic and natural images including grass, leaves and pebbles.

Now, dare to imagine the stylish combination effects that I.D. Premier's remarkable scope and flexibility make possible.



I.D. Premier

Strength with lasting beauty

With over 100 years experience, the Tarkett name immediately guarantees quality and reliability. Our versatile floorcoverings have already been installed in commercial and leisure environments throughout the world.

I.D. Premier beauty is matched by practicality and performance essential for any commercial location.

It is also underpinned by genuine environmental responsibility in action. Not just in Tarkett operating policies, but also in manufacturing. All I.D. Premier products include backing made from recycled material.



Tough construction

A 0.7mm* wear layer, with TopClean XP PUR reinforcement, and glass fibre-reinforced structure gives I.D. Premier exceptional durability and toughness for very heavy duty commercial applications.

This ensures the flooring will retain its good looks throughout an extended service life, in stores and other commercial environments subject to heavy daily use. So, however daring or complex your design, and whatever the demands of its in-service location, your creative vision and imagination can be certain of achieving a lasting impact.

*All I.D. Premier products are also available with 0.55mm wear layer for heavy duty environments.

- 1 TopClean XP PUR reinforcement:** Extreme resistance to abrasion and easy low cost maintenance
- 2 0.7mm pure PVC transparent wear layer:** Exceptionally hardwearing and indentation resistant. Also available with 0.55mm wear layer
- 3 Superb designs:** Colours and authentic images from natural and other materials
- 4 Unique composite structure built with solid homogeneous calendered layers, made from recycled flooring, reinforced with glass fibre non woven:** Exceptional dimensional stability and excellent resistance to tear and indentation





Applications

Ideal for:

- > STORES
- > HOTELS
- > RESTAURANTS
- > COMMERCIAL ENVIRONMENTS

Low maintenance for big savings

Maintenance can typically represent over 90% of the lifetime cost of a floorcovering, but long-term savings are possible with I.D. Premier. Its tough TopClean XP PUR-reinforced surface makes it impressively easy to clean, and exceptionally resistant to stains, chemicals and abrasion. No wax or polish is ever needed throughout the flooring's service life, so staff time and costs on maintenance routines can be kept to a minimum.

TopClean XP: a new generation of surface treatment

A revolutionary, photo-reticulated polyurethane coating, reinforced with alumina, to provide higher-resistance to heavy daily use, easier cleaning and excellent life cycle cost:

- > Extreme resistance to scratches and abrasion
- > Excellent resistance to scuffing, soiling and staining
- > Easy, low cost maintenance: No Wax – No Polish for Life
- > Delivers substantial cost savings: over 30% on maintenance, and over 50% on water, detergent and energy



Features and benefits

- > Designer collection of authentic images and colours accurately reproduced in tiles and planks
- > 0.7mm pure PVC transparent wear layer: exceptionally hardwearing and indentation resistant. Also available with 0.55mm wear layer
- > Glass fibre non-woven reinforcement: unique dimensional stability
- > TopClean XP PUR-reinforcement: extreme resistance to abrasion and easy, low cost maintenance
- > Manufactured in the European Community: ISO9001 and ISO14001 quality controlled Tarkett European factories



I.D. Premier WOOD collection

From light shades to rich warm colour, from subtle textures to distinctive grains, the I.D. Premier WOOD collection offers a versatile choice of highly decorative effects that capture the natural beauty of wood. Broad or narrow plank formats, according to design – with some designs offered in both formats.



Pale Oak

0.7mm: 3846 147 0.55mm: 3893 147



Studio Maple

0.7mm: 3843 021 0.55mm: 3873 021



Maple

0.7mm: 3842 001 0.55mm: 3872 001



Classic Maple

0.7mm: 3843 022 0.55mm: 3873 022



Medium Beech

0.7mm: 3843 023 0.55mm: 3873 023
0.7mm: 3842 023 0.55mm: 3872 023



Traditional Beech

0.7mm: 3846 117 0.55mm: 3893 117



Traditional Oak

0.7mm: 3846 135 0.55mm: 3893 135
0.7mm: 3845 135 0.55mm: 3892 135



Autumn Ash

0.7mm: 3846 108 0.55mm: 3893 108



Kentish Oak

0.7mm: 3846 065 0.55mm: 3893 065



Hickory

0.7mm: 3846 131 0.55mm: 3893 131



Light Oak

0.7mm: 3843 005 0.55mm: 3873 005



Applewood

0.7mm: 3846 109 0.55mm: 3893 109
0.7mm: 3845 109 0.55mm: 3892 109




Pecan

0.7mm: 3843 016 0.55mm: 3873 016




Golden Beech

0.7mm: 3843 002 0.55mm: 3873 002



= 15.7 x 94.2 cm



= 7.85 x 94.2 cm



Slab Oak

0.7mm: 3846 103 0.55mm: 3893 103
0.7mm: 3845 103 0.55mm: 3892 103



Sugar Maple

0.7mm: 3846 064 0.55mm: 3893 064



Golden Cherry

0.7mm: 3843 014 0.55mm: 3873 014




Medium Oak

0.7mm: 3843 006 0.55mm: 3873 006
0.7mm: 3842 010 0.55mm: 3872 010



Cherry

0.7mm: 3843 001 0.55mm: 3873 001
0.7mm: 3842 013 0.55mm: 3872 013




Rich Teak

0.7mm: 3846 118 0.55mm: 3893 118
0.7mm: 3845 118 0.55mm: 3892 118




Doussie

0.7mm: 3843 013 0.55mm: 3873 013




Merbau

0.7mm: 3843 007 0.55mm: 3873 007



Classic Teak

0.7mm: 3846 169 0.55mm: 3893 169
0.7mm: 3845 169 0.55mm: 3892 169



Oriental Plum

0.7mm: 3843 015 0.55mm: 3873 015



= 15.7 x 94.2 cm



= 7.85 x 94.2 cm




All I.D. Premier tiles and planks are 2.5mm thick, with bevelled edges to create realistic effects

NOTE: Colours/styles are shown for guidance only, within the limitations of printing processes.






New England Wood

 0.7mm: 3846 124 0.55mm: 3893 124



Elizabethan Pine

 0.7mm: 3846 174 0.55mm: 3893 174





Weathered Maple

 0.7mm: 3846 162 0.55mm: 3893 162






Antique Oak Light

 0.7mm: 3846 165 0.55mm: 3893 165




Wild Cherry

 0.7mm: 3843 024 0.55mm: 3873 024
 0.7mm: 3842 024 0.55mm: 3872 024




Oiled Teak

 0.7mm: 3843 004 0.55mm: 3873 004





Schoolhouse Pine

 0.7mm: 3846 116 0.55mm: 3893 116




Antique Oak Dark

 0.7mm: 3846 166 0.55mm: 3893 166




Dark Walnut

 0.7mm: 3846 113 0.55mm: 3893 113




Walnut

 0.7mm: 3846 120 0.55mm: 3893 120




Wenge

 0.7mm: 3843 017 0.55mm: 3873 017





Rosewood

 0.7mm: 3846 168 0.55mm: 3893 168





Basket Oak

 0.7mm: 3846 062 0.55mm: 3893 062




Indian Laurel

 0.7mm: 3842 006 0.55mm: 3872 006




Midnight Oak

 0.7mm: 3846 170 0.55mm: 3893 170




Mahogany

 0.7mm: 3842 008 0.55mm: 3872 008




Boathouse

 0.7mm: 3846 164 0.55mm: 3893 164




Zebirano

 0.7mm: 3846 173 0.55mm: 3893 173




White Weathered Oak

 0.7mm: 3844 003 0.55mm: 3874 003





Brown Weathered Oak

 0.7mm: 3844 004 0.55mm: 3874 004





Light Weathered Oak

 0.7mm: 3844 002 0.55mm: 3874 002



Dark Weathered Oak

 0.7mm: 3844 001 0.55mm: 3874 001



Natural Weathered Oak

 0.7mm: 3844 005 0.55mm: 3874 005



All I.D. Premier tiles and planks are 2.5mm thick, with bevelled edges to create realistic effects

NOTE: Colours/styles are shown for guidance only, within the limitations of printing processes.



= 15.7 x 94.2 cm



= 7.85 x 94.2 cm

I.D. Premier STONE collection

From the clean purity of pale stone, to warmer and darker shades with more dramatic veined or flecked textures, the I.D. Premier STONE collection offers a rich and varied choice of effects. These accurately communicate the raw beauty of marble, stone and other natural materials.



Cream Sandstone

0.7mm: 3847 103 0.55mm: 3896 103



Grey Sandstone

0.7mm: 3847 102 0.55mm: 3896 102



Natural Sandstone

0.7mm: 3847 124 0.55mm: 3896 124



Quarry Stone

0.7mm: 3847 105 0.55mm: 3896 105



White Carrara

0.7mm: 3847 101 0.55mm: 3896 101



Egyptian Stone

0.7mm: 3847 154 0.55mm: 3896 154



Travertine

0.7mm: 3847 110 0.55mm: 3896 110




Terrazzo

0.7mm: 3847 138 0.55mm: 3896 138



Capri

0.7mm: 3847 039 0.55mm: 3896 039



Verona

0.7mm: 3847 038 0.55mm: 3896 038



Marble Taupe

0.7mm: 3847 033 0.55mm: 3896 033



San Marino

0.7mm: 3847 037 0.55mm: 3896 037



Coliseum

0.7mm: 3847 128 0.55mm: 3896 128



Highland Granite

0.7mm: 3847 156 0.55mm: 3896 156



Royal Marble

0.7mm: 3847 160 0.55mm: 3896 160



All I.D. Premier tiles and planks are 2.5mm thick, with bevelled edges to create realistic effects

NOTE: Colours/styles are shown for guidance only, within the limitations of printing processes.



Natural Limestone

0.7mm: 3847 125 0.55mm: 3896 125



Rich Limestone

0.7mm: 3847 100 0.55mm: 3896 100



Crazed Limestone

0.7mm: 3847 126 0.55mm: 3896 126



Mineral

0.7mm: 3847 109 0.55mm: 3896 109



Beige Stone

0.7mm: 3840 027 0.55mm: 3987 027



Light Concrete

0.7mm: 3840 023 0.55mm: 3987 023



Dark Concrete

0.7mm: 3840 024 0.55mm: 3987 024



Moonstone

0.7mm: 3847 157 0.55mm: 3896 157




Moroccan Slate

0.7mm: 3847 123 0.55mm: 3896 123



Grey Slate

0.7mm: 3847 139 0.55mm: 3896 139



Brecon Slate

0.7mm: 3847 122 0.55mm: 3896 122

I.D. Premier DESIGN collection

Selected to inspire exciting modular features and creative effects, including zoned schemes, or simply to indulge design flair as a complement to the wood or stone images. The I.D. Premier DESIGN collection includes vibrant colours, distinctively embossed metallic effects – and authentic photographic images of natural materials.



Urban Black

0.7mm: 3841 008 0.55mm: 3988 008




Dynamic Red

0.7mm: 3841 005 0.55mm: 3988 005



Pink Emotion

0.7mm: 3841 009 0.55mm: 3988 009



Electric Blue

0.7mm: 3841 007 0.55mm: 3988 007



Turquoise Boost

0.7mm: 3841 006 0.55mm: 3988 006



Acid Green

0.7mm: 3841 002 0.55mm: 3988 002



Vibrant Orange

0.7mm: 3841 004 0.55mm: 3988 004



Impulse Yellow

0.7mm: 3841 003 0.55mm: 3988 003



Aluminium

0.7mm: 3841 001 0.55mm: 3988 001



Autumn Leaves

0.7mm: 3840 031 0.55mm: 3987 031



Pebbles

0.7mm: 3840 032 0.55mm: 3987 032



Grass

0.7mm: 3840 030 0.55mm: 3987 030



Steel

0.7mm: 3840 028 0.55mm: 3987 028



All I.D. Premier tiles and planks are 2.5mm thick, with bevelled edges to create realistic effects

NOTE: Colours/styles are shown for guidance only, within the limitations of printing processes.

I.D. Premier

DESCRIPTION

Luxury vinyl commercial floorcovering with glass fibre reinforcement. TOPCLEAN XP Polyurethane reinforcement.

In tile and plank form, with bevelled edges. Product standard EN 649


Technical data	Standards	I.D. Premier	
Wear layer thickness	EN 429	0.7 mm	0.55 mm
Classification	EN 685 commercial industrial	Classes: 34 43	Classes: 33 42
Total thickness	EN 428	2.5 mm	2.5 mm
Total weight	EN 430	3900 g/m ²	3900 g/m ²
PUR Reinforcement		TOPCLEAN XP	TOPCLEAN XP
Abrasion group	EN 660-2	Group T	Group T
Residual indentation	EN 433	≤ 0.05 mm	≤ 0.05 mm
Furniture leg	EN 424	No damage	No damage
Castor chair	EN 425	No damage	No damage
Dimensional stability	EN 434	< 0.1 %	< 0.1 %
Curl resultant to heat	EN 434	≤ 2.0 mm	≤ 2.0 mm
Reaction to fire	EN 13501-1 EN ISO 9239-1	B _{f1} s1 glued over A2 _{f1} substrate (concrete) > 8 kW/m ²	B _{f1} s1 glued over A2 _{f1} substrate (concrete) > 8 kW/m ²
Slip resistance	DIN 51130	R9	R9
Electrostatic properties	EN 1815 EN 1081	< 2 kV on concrete > 10 ¹⁰ ohms	< 2 kV on concrete > 10 ¹⁰ ohms
Impact sound reduction	EN ISO 140-8 EN ISO 717/2	ΔL _w = 2 dB	ΔL _w = 2 dB
Colour fastness	EN ISO 105-B02	≥ 6	≥ 6
Chemical resistance	EN 423	Good resistance to everyday substances	Good resistance to everyday substances
Thermal resistance Underfloor heating	EN 12524	0.03 m ² K/W Suitable – max 27°C	0.03 m ² K/W Suitable – max 27°C
Colours		47 Wood, 26 Stone, 13 Design	47 Wood, 26 Stone, 13 Design
Form of delivery	EN 427	Tiles: 47.1 x 47.1 cm Planks: 15.7 x 94.2 cm, 7.85 x 94.2 cm	Tiles: 47.1 x 47.1 cm Planks: 15.7 x 94.2 cm, 7.85 x 94.2 cm

The above information is subject to modifications for the benefit of further improvement.

For more detailed technical information, please contact Tarkett. Follow Tarkett's installation and maintenance instructions carefully, these instructions are available upon request.

Modular design flexibility

The modular dimensions of tile, wide plank and narrow plank liberate design. Enabling creative combinations of size, shade and image styles to achieve unique flooring effects.



With added Feature Lines

Consider adding I.D. Feature Lines to create even more design opportunities. The compatibility of I.D. Premier tiles and planks allows you to use the contrasting colour of these design strips to achieve Ships Deck, Lattice or other schemes with extra visual impact.

Feature Lines

Black	1421 001	Red	1421 004
Silver	1421 002	Phosphorescent	1421 005
Copper	1421 003		

INTELLIGENT FLOORING SOLUTIONS



SYSTEM

Providing not just a product, but a complete functional solution designed to fully meet customer needs.

SERVICE

Supporting customers from first consultation to product installation, and throughout its service life.

SAVINGS

Finding materials, construction and solutions that minimise maintenance requirements, and achieve best life cycle costs.

STYLE & DESIGN

Contributing to atmosphere, state of mind and emotion, to efficiency and sense of well-being.

SUSTAINABILITY & ENVIRONMENT

Taking the lead in promoting measures to help preserve a sustainable environment.



Tarkett Environmental Intelligence

We see our Intelligent Flooring Solutions as part of the world's ecological system – and make strong efforts to ensure that all our activities are based on respect for the environment. All our flooring products are developed, produced and handled with a great concern for sustainability and the environment. We call it Environmental Intelligence, and live by this principle in every single step, from vision to final disposal.



Environmental Intelligence in our vinyl flooring

Tarkett introduced the first vinyl flooring more than 60 years ago, and we have always focused on environmental sustainability.

- 100% recyclable
- Low energy consumption
- Easy and lowest cost ever maintenance
- Low emissions
- Long life cycle avoiding short-term replacement and minimising old installation waste

I.D. Premier contains up to 37% recycled material.



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 60 95 68 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Wykładowy Sp. z o.o. – Tel. +48 22 639 31 66 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 67 43 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **Spain:** Tarkett Floors S.L. – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **United Kingdom:** Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > **North America:** Johnsonite – Tel. +1 440 543 8916 > **Tarkett Inc. USA:** Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 1 41 20 41 01