



Commercial carpet tiles



Tecsom Linear Fever

Carpet tiles with
unique broadloom effect

Tecsom Linear Fever

Linear Fever is a sophisticated loop pile carpet tile with lively effects created using interweaving or linear patterns.

Manufactured using Tarkett's 100% solution dyed Yarn System with a chromojet dye-injection, and recycled vinyl Backing System, Linear Fever has excellent resistance to traffic and is suitable for all prestigious commercial interiors.


Imagination



P01B01G2



P01B03G4



P01V01S0



P01V02V2



P01R01S0



P01L01S0




P01M01S0



P01R02M7

Confusion




P03L01S0




P03R01S0




P03M01S0




P03R02M7




P03V02V2



P03B03G4



P03B01G2



P03V01S0


Illusion



P02V01S0



P02B01G2



P02R01S0



P02L01S0




P02B03G4



P02R02M7



P02M01S0




P02V02V2

Lizard Skin



P04G02G4



P04M01S0



P04V01S0



P04V04V2



P04V02S0



P04J01S0



P04V03V2



P04G01G4



P04S01S0


Intersection



P05J01S0



P05V02G4




P05B01G4




P05V01S0



P05V03V2



P05G01G4



Tecsom carpet tile

Linear Fever is a **Tecsom carpet tile**. The Tecsom range offers a wide range of constructions, colours, and designs, giving an exceptional opportunity to create stunning and unique interiors for working environments.

A combination of superb aesthetic qualities with a high level of technology.

BS Backing System

Linear Fever tiles, as well as all Tecsom carpet tiles, are manufactured using the Tarkett Backing System, consisting of a double calendered vinyl coating stabilised with glass fibre reinforcement.

Tarkett's unique Backing System ensures total dimensional stability while offering a flexibility level and tear resistance far superior to those of any other product. It has outstanding acoustic performance and also optimises underfoot comfort, which are so valuable in a working environment.





Tarkett Backing System guarantees:

- An excellent dimensional stability, giving an excellent broadloom installation.
- The Environmental consideration: BS is part of Tarkett recycling chain - it is made of 100 % recycled vinyl.
- Possible loose lay installation.
- High resistance to castor chair use in high traffic areas: BS backing does not break down and does not tear.

YS Yarn System

Tarkett manufacture their own technical yarns to give the Tecsom carpet tile outstanding aesthetic qualities and technical performances: appearance retention, resistance to light and wear as well as easy maintenance.

This high performing textured graphic loop is particularly suited for heavy traffic and commercial use areas requiring a high aesthetic value.



Please refer
to guarantee contract

Linear Fever

Illusion - Confusion - Imagination - Lizard skin - Intersection

Technical data	Standards	Linear Fever
Pile material		100% Polyamide, 100% solution dyed with a cromojet overprint YS (Yarn System) from Tarkett technologies
Description/Gauge		1/10 loop pile
No. of stitches	ISO 1763	42 stitches/10 cm
Density	ISO 1763	172 200 stitches/m ²
WDF Weight Density Factor		5 715 360
AD Average Density		9 450
Pile height	ISO 1766	2,8 mm
Total thickness	ISO 1765	6,7 mm
Pile yarn weight	ISO 8543	630 g/m ² (18,60 oz/yd ²)
Total weight	ISO 8543	4 520 g/m ²
Primary backing		Non woven primary backing
Backing		Tecsom Backing System - 100% recycled vinyl backing reinforced 100% recycled vinyl backing reinforced with glass fibre. BS
Dimensional stability	BS 4682 (3/4) EN 986	≤ 0,10% ≤ 0,10%
Classification	EN 1307	Heavy Contract Class 4
Castor chair	EN 985	Passed R ≥ 2,4
Reaction to fire	ASTM E 648 (cat.1) EN ISO 9239-1	Passed C _{fl} ≤ 1
Electrostatic characteristics	EN 1815 ISO 10965	≤ 2 kV RT ≈ 10 ¹⁰ Ω
Impact sound reduction	ISO 717/2 ΔL _w ISO 11654 α _w / ISO 354	26 dB 0,20 (H)
Light fastness	ISO 105 B02	6
Thermal resistance	EN 12524	0,08 m ² K/W
Colours		39
Tile size		50 x 50 cm
Tiles per box		5 m ² (20 tiles)

The above information is subject to modifications for the benefit of further improvement (09/04).

For more detailed technical information, please contact Tarkett.

Follow Tarkett's installation and maintenance instructions carefully. These instructions are available upon request

Australia: Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 • **Austria:** Tarkett Ges.m.b.H. – Tel. +43 1 47 88 062 • **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 • **Canada:** Tarkett Inc. – Tel. +1 450 293 3173 • **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38/39 • **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 • **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 • **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 • **Germany:** Tarkett Vertriebs GmbH & Co. KG, Bereich Objekt – Tel. +49 6233 810 • **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 • **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 • **Italy:** Tarkett S.p.A. – Tel. +39 02 319 211 • **Luxembourg:** Tel. +352 949 211 8804 • **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 • **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 700 • **Norway:** Tarkett AS – Tel. +47 32 20 92 00 • **Poland:** Tarkett Polska Sp. z o.o. – Tel. +48 22 598 08 81 • **Portugal:** Tarkett SA – Tel. +351 21 756 75 40 • **Russian Federation:** Tarkett Russia – Tel. +7 095 777 69 83 • **Singapore:** Tarkett Far East – Tel. +65 6743 53 84 • **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • **Spain:** Tarkett Revestimientos SA – Tel. +34 91 358 00 35 • **Sweden:** Tarkett Sverige AB – Tel. +46 8 625 19 00 • **Switzerland:** Tarkett GmbH – Tel. +41 44 878 10 80 • **Ukraine:** Tarkett UA – Tel. +380 (44) 569 12 21 • **United Kingdom:** Tarkett Ltd – Tel. +44 (0)1905 342700 • **United States:** Tarkett Inc. USA – Tel. +1 713 869 5811 • **Tarkett International:** Tel. +49 6233 811 755

www.tarkett-commercial.com

